

AMENDED

Nº 49979

APPLICATION FOR PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date o	of filing in State Engineer's Office
Return	ned to applicant for correction JUL 2 5 1986
Correc	ted application filed SEP 2 3 1986
Map f	SEP 2 3 1986 under 49978
T	The applicant Michael J. Weinstock
	0300 North Torrey Pines Road , of IaJolla ,
	Street and No. or P.O. Box No.
	State and Zip Code No.
	of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorpora-
tion; if	f a copartnership or association, give names of members.)
1. T	The source of the proposed appropriation is Underground Name of stream, lake, spring, underground or other source
•-	Name of stream, take, spring, underground of other source
2. T	The amount of water applied for is 2.0 C.f.s., 1447.93 AF/yr second-feet One second-foot equals 448.83 gals, per min.
(;	a) If stored in reservoir give number of acre-feet
3. T	The water to be used forIndustrial
4. If	f use is for:
(a	a) Irrigation, state number of acres to be irrigated
(t	b) Stockwater, state number and kinds of animals to be watered
(0	c) Other use (describe fully under "No. 12. Remarks"
	d) Power:
<u> </u>	(1) Horsepower developed
	(2) Point of return of water to stream
5 Т	The water is to be diverted from its source at the following point. SELASELA of Section 28,
	Describe as being within a 40-acre subdivision of public P.11S., R63E., M.D.B. & M., or at a point from which the SW corner
su	orvey, and by course and distance to a section corner. If on unsurveyed land, it should be so stated. of said Section 28 bears S.88 03'13" W., 5053.64 feet
	Coo attached
6. P	lace of use See attached Describe by legal subdivision, If on unsurveyed land, it should be so stated.
*-	
••	
••	
7. U	Jse will begin about January 1 and end about December 31, of each year. Month and Day Month and Day
	Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and
sį	pecifications of your diversion or storage works.) <u>Drilled well</u> , <u>pump</u> and <u>motor</u> , and
Ç flu	listribution system umes, drilled well with pump and motor, etc.
9. E	Estimated cost of works \$50,000-\$100,000

	Estimated time required to construct works	S	ted, describe works.
11.	Estimated time required to complete the app	plication of water to beneficial us	e 20 years
	Remarks: For use other than irrigation or consumptive use.	stock watering, state number and	I type of units to be served or annual
	The annual duty of water unde	er this application is s	upplemental to
	the total duty applied for un	nder pending Application	49414,
	49660, 49661 and 49662, not t	co exceed 4300 acre-feet	per year.
	pared js/se cl/cms	By s/Brian A Brian A 340 Noo Carson	A. Randall A. Randall, Resource Concepts, rth Minnesota Street City, Nevada 89701
Prote	ested	······································	
	APP	ROVAL OF STATE ENGI	NEER
	This is to certify that I have examined the wing limitations and conditions:	e foregoing application, and do h	ereby grant the same, subject to the
be a eg	all be dependent upon teneficial use. It is also reasonable lowering of the quipped with a two (2) inches well is flowing.	understood that thi e static water level h opening for measur:	s right must allow for . This well shall be
pr th me to be lo NR wa (C	revent waste. A totalizing the discharge pipeline new assurements must be kept that the proof of Complete the Proof of Complete the Within an area designed within an area designed the proof of the State retains and the proof of the Proof of Complete the Proof of C	g meter must be insta ar the point of d of water placed to stalled before any u etion of Work is fi ignated by the State tains the right to r and all times.	led and maintained to alled and maintained in iversion and accurate beneficial use. The use of water begins, or iled. This source is Engineer, pursuant to egulate the use of the
pr th me to be lo NR wa (C	revent waste. A totalizing the discharge pipeline ne easurements must be kept talizing meter must be in afore the Proof of Complete the within an area designed within an area designed the easurement of the State retains at the easurement of the PAGE 2) amount of water to be appropriated shall the control of the easurement of the easur	g meter must be insta ar the point of d of water placed to stalled before any u etion of Work is fi ignated by the State ains the right to r and all times.	led and maintained to alled and maintained in iversion and accurate beneficial use. The use of water begins, or iled. This source is Engineer, pursuant to egulate the use of the can be applied to beneficial use, and
pr th me to be lo NR wa (C	revent waste. A totalizing me discharge pipeline ne easurements must be kept stalizing meter must be in efore the Proof of Complescated within an area desired state and the continued on PAGE 2) amount of water to be appropriated shall to exceed.	g meter must be insta ar the point of d of water placed to stalled before any u etion of Work is fi ignated by the State tains the right to r and all times.	led and maintained to alled and maintained in iversion and accurate beneficial use. The use of water begins, or iled. This source is Engineer, pursuant to egulate the use of the can be applied to beneficial use, and , but not to exceed
pr th me to be lo NR wa (C The:	revent waste. A totalizing me discharge pipeline nere asurements must be kept otalizing meter must be in afore the Proof of Complete cated within an area desired so the state retained at any CONTINUED ON PAGE 2) amount of water to be appropriated shall to exceed 2.0 447.93 acre-feet annually	g meter must be insta ar the point of d of water placed to stalled before any u etion of Work is fr ignated by the State ains the right to r and all times.	led and maintained to alled and maintained in iversion and accurate beneficial use. The use of water begins, or iled. This source is Engineer, pursuant to egulate the use of the can be applied to beneficial use, and , but not to exceed
pr th me to be lo NR wa (C The:	revent waste. A totalizing me discharge pipeline ne easurements must be kept stalizing meter must be in efore the Proof of Complescated within an area desired state and the continued on PAGE 2) amount of water to be appropriated shall to exceed.	g meter must be insta ar the point of d of water placed to stalled before any u etion of Work is fr ignated by the State ains the right to r and all times.	led and maintained to alled and maintained in iversion and accurate beneficial use. The use of water begins, or iled. This source is Engineer, pursuant to egulate the use of the can be applied to beneficial use, and , but not to exceed
pr th me to be lo NR wa (C The:	revent waste. A totalizing me discharge pipeline nere asurements must be kept otalizing meter must be in afore the Proof of Complete cated within an area desired so the state retained at any CONTINUED ON PAGE 2) amount of water to be appropriated shall to exceed 2.0 447.93 acre-feet annually	g meter must be insta ar the point of d of water placed to stalled before any usetion of Work is frignated by the State tains the right to reand all times. be limited to the amount which contains the completed on or before	led and maintained to alled and maintained in iversion and accurate beneficial use. The use of water begins, or iled. This source is Engineer, pursuant to egulate the use of the can be applied to beneficial use, and , but not to exceed November 12, 2000
pr th me to be lo NR wa (C The:	revent waste. A totalizing me discharge pipeline ne easurements must be kept stalizing meter must be in efore the Proof of Complete cated within an area desired state and the end of the Proof of Complete cated within an area desired state and the end of	g meter must be insta ar the point of d of water placed to stalled before any u etion of Work is fr ignated by the State tains the right to r and all times. be limited to the amount which of completed on or before before	led and maintained to alled and maintained in iversion and accurate beneficial use. The see of water begins, or iled. This source is Engineer, pursuant to egulate the use of the can be applied to beneficial use, and , but not to exceed November 12, 2000 December 12, 2000
pr the me to be lo NR wa (C The: 1, Work	revent waste. A totalizing me discharge pipeline nere assurements must be kept betalizing meter must be in afore the Proof of Complete cated within an area desires 534.030. The State retainer herein granted at any CONTINUED ON PAGE 2) amount of water to be appropriated shall to exceed 2.0 447.93 acre-feet annually a must be prosecuted with reasonable diliger of of completion of work shall be filed on or ication of water to beneficial use shall be me	g meter must be insta ar the point of d of water placed to stalled before any usetion of Work is frignated by the State ains the right to reand all times. be limited to the amount which common cubic feet per second	led and maintained to alled and maintained in iversion and accurate beneficial use. The use of water begins, or iled. This source is Engineer, pursuant to egulate the use of the can be applied to beneficial use, and , but not to exceed November 12, 2000 November 12, 2000 November 12, 2005
printh me to be lo NR wa (C The: 1, Work Proof	revent waste. A totalizing he discharge pipeline ne discharge pipeline ne discharge must be kept betalizing meter must be in efore the Proof of Complete cated within an area desired state of the state retains and the state of the properties of the appropriated shall be must be prosecuted with reasonable diligeration of water to beneficial use shall be must be possible of the application of water to beneficial use shall be must be prosecuted of water to beneficial use shall be must be prosecuted of water to beneficial use shall be must be prosecuted of water to beneficial use shall be must be prosecuted with reasonable diligeration of water to beneficial use shall be must be prosecuted of water to beneficial use shall be must be prosecuted of water to beneficial use shall be must be prosecuted water to beneficial use shall be must be prosecuted water to beneficial use shall be must be prosecuted water to beneficial use shall be must be prosecuted water to beneficial use shall be must be prosecuted water to beneficial use shall be must be prosecuted water to beneficial use shall be must be prosecuted water to beneficial use shall be must be prosecuted water to beneficial use shall be must be prosecuted water to beneficial use shall be must be prosecuted water to beneficial use shall be must be prosecuted water to beneficial use shall be must be prosecuted water to beneficial use shall be must be prosecuted water to beneficial use shall be must be prosecuted water to beneficial use shall be must be prosecuted water to beneficial use shall be must be prosecuted water to beneficial water to beneficial water to be prosecuted water to	g meter must be insta ar the point of d of water placed to stalled before any usetion of Work is frignated by the State tains the right to rand all times. be limited to the amount which conce and be completed on or before the shall be filed on or before.	led and maintained to alled and maintained in iversion and accurate beneficial use. The use of water begins, or iled. This source is Engineer, pursuant to egulate the use of the can be applied to beneficial use, and , but not to exceed November 12, 2000 November 12, 2005 December 12, 2005
printh me to be lo NR wa (C The: 1, Work Proof Appli Proof	revent waste. A totalizing me discharge pipeline nere assurements must be kept betalizing meter must be in afore the Proof of Complete cated within an area desires 534.030. The State retainer herein granted at any CONTINUED ON PAGE 2) amount of water to be appropriated shall to exceed 2.0 447.93 acre-feet annually a must be prosecuted with reasonable diliger of of completion of work shall be filed on or ication of water to beneficial use shall be me	g meter must be instaar the point of d of water placed to stalled before any usetion of Work is frignated by the State ains the right to rand all times. be limited to the amount which conce and be completed on or before before the shall be filed on or before to the shall be filed on or before to the shall be filed on or before the se shall be filed on or before the second the secon	led and maintained to alled and maintained in iversion and accurate beneficial use. The see of water begins, or iled. This source is Engineer, pursuant to egulate the use of the can be applied to beneficial use, and , but not to exceed November 12, 2000 November 12, 2005 December 12, 2005 N/A
pr th me to be lo NR wa (C The : not to Appli Proof Map Comp	revent waste. A totalizing he discharge pipeline ne discharge pipeline ne discharge must be kept betalizing meter must be in efore the Proof of Completocated within an area desires 534.030. The State retainer herein granted at any CONTINUED ON PAGE 2) amount of water to be appropriated shall be exceed. 2.0 447.93 acre-feet annually a must be prosecuted with reasonable diliger of completion of work shall be filed on or dication of water to beneficial use shall be meterical use	g meter must be insta ar the point of d of water placed to stalled before any u etion of Work is fr ignated by the State cains the right to r and all times. be limited to the amount which o cubic feet per second cubic feet per second before made on or before se shall be filed on or before IN TESTIMONY WHEREOF, F State Engineer of Nevada, have	led and maintained to alled and maintained in iversion and accurate beneficial use. The use of water begins, or iled. This source is Engineer, pursuant to egulate the use of the can be applied to beneficial use, and , but not to exceed November 12, 2000 December 12, 2000 November 12, 2005 December 12, 2005 N/A R. MICHAEL TURNIPSEED, P.E. we hereunto set my hand and the seal of
present the medical control of the c	revent waste. A totalizing he discharge pipeline ne easurements must be kept stalizing meter must be in efore the Proof of Complete cated within an area desired size 534.030. The State retaker herein granted at any CONTINUED ON PAGE 2) amount of water to be appropriated shall be exceed. 2.0 447.93 acre-feet annually a must be prosecuted with reasonable diliger of of completion of work shall be filed on or ication of water to beneficial use shall be meterical use shall be meterical use shall be determed to work filed.	g meter must be insta ar the point of d of water placed to stalled before any v etion of Work is fr ignated by the State tains the right to r and all times. be limited to the amount which o cubic feet per second cubic feet per	led and maintained to alled and maintained in iversion and accurate beneficial use. The use of water begins, or iled. This source is Engineer, pursuant to egulate the use of the ear be applied to beneficial use, and , but not to exceed November 12, 2000 November 12, 2000 November 12, 2005 N/A R. MICHAEL TURNIPSEED, P.E.
prith me to be lo NR wa (C The a not to Appli Proof Map Comp Comp	revent waste. A totalizing he discharge pipeline ne discharge pipeline ne discharge must be kept btalizing meter must be in efore the Proof of Complete beated within an area desires 534.030. The State retainer herein granted at any CONTINUED ON PAGE 2) amount of water to be appropriated shall be exceed. 2.0 447.93 acre-feet annually a must be prosecuted with reasonable diliger of for completion of work shall be filed on or dication of water to beneficial use shall be meterical use shall be meterical use shall be meterical use shall be detion of work filed	g meter must be insta ar the point of d of water placed to stalled before any v etion of Work is fr ignated by the State tains the right to r and all times. be limited to the amount which o cubic feet per second cubic feet per second before made on or before is shall be filed on or before IN TESTIMONY WHEREOF, F State Engineer of Nevada, har my office, this I2th	led and maintained to alled and maintained in iversion and accurate beneficial use. The use of water begins, or iled. This source is Engineer, pursuant to egulate the use of the can be applied to beneficial use, and , but not to exceed November 12, 2000 December 12, 2000 November 12, 2005 December 12, 2005 N/A R. MICHAEL TURNIPSEED, P.E. we hereunto set my hand and the seal of

Page 2 49979

(PERMIT TERMS CONTINUED)

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

This permit is issued under the provisions of NRS 534.120(2) as a preferred use.

This permit is issued with the requirement that a comprehensive monitoring plan be submitted to the State Engineer for approval within ninety (90) days from the date of the issuance of this permit. The plan shall be submitted and approved by the State Engineer prior to any pumping of the well.

The permittee is required to submit an annual report of the monitoring results. Upon review of the annual monitoring results the State Engineer will retain the right to reduce the pumping from this well or to take any other action that may be necessary to protect the public interests or to prevent conflicts with prior existing rights.

The total combined duty of water under Permits 49414, 49660, 49661, 49662, 49978, 49979, 49980, 49981, 49982, 49983 and 49984 shall not exceed 8,600.0 acre-feet annually.

PLACE OF USE

All of Sections 1, 2, 3, 4, 5, 9, 10, 11, 12, 13, 14, 15, 16, 21, 22, 23 and 24; the E 1/2 and the E 1/2 of the W 1/2 of Section 8; the E 1/2 of Sections 17 and 20; and the N 1/2 of Sections 25 and 26, in Township 13 South, Range 63 East, M.D.M., Clark County, Nevada.

All of Sections 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 14, 15, 16, 17, 20, 21, 22, 23, 25, 26, 27, 28, 29, 32, 33, 34, 35, and 36; the W 1/2 of Sections 13 and 24; the E 1/2 of Sections 18, 19, 30, and 31; and the W 1/2 of the W 1/2 of Section 12, in Township 12 South, Range 63 East, M.D.M., Lincoln County, Nevada.

All of Sections 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34 and 35, in Township 11 South, Range 63 East, M.D.M., Lincoln County, Nevada.

All of Sections 18 and 19; the N 1/2 of Section 30; the W 1/2 and the W 1/2 of the SE 1/4 of Section 7; and the W 1/2 of Section 6, in the unsurveyed Township 13 South, Range 64 East, M.D.M., Clark County, Nevada.

The W 1/2 of the SW 1/4 of Section 31, in the unsurveyed Township 12 South, Range 64 East, M.D.M., Lincoln County, Nevada.